



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Jammu and Kashmir)

To,

The Owner
KHURSHID AHMAD MIR
Minor Mineral Block 03, C-Lassipora SIDCO Bridge D/Stream Nallah
Rambiara -192301

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/JK/MIN/63796/2020 dated 11 Oct 2021. The particulars of the environmental
clearance granted to the project are as below.

1. EC Identification No.	EC22B001JK127094
2. File No.	JKEIAA/2020/325
3. Project Type	New
4. Category	B1
5. Project/Activity including Schedule No.	1(a) Mining of minerals
6. Name of Project	Nallah Bed Mining Project
7. Name of Company/Organization	KHURSHID AHMAD MIR
8. Location of Project	Jammu and Kashmir
9. TOR Date	21 Nov 2020

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 04/01/2022

(e-signed)
Dr. Neelu Gera
Member Secretary
SEIAA - (Jammu and Kashmir)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.





Ministry of Environment, Forest & Climate Change
J&K ENVIRONMENT IMPACT ASSESSMENT AUTHORITY
(at) DEPARTMENT OF ECOLOGY, ENVIRONMENT AND REMOTE SENSING
S.D.A. Colony, Bemina, Srinagar-190018 (May-Oct)/ Paryavaran Bhawan, Transport Nagar, Ghdni, Jammu-180006 (Nov-Apr),
OE:mail: jkseiaa@gmail.com, website:www.parivesh.nic.in

Shri Khursheed Ahmad Mir,
S/O Shri Gh. Mohammad Mir,
R/O Pahoo Dahoogam,
District-Pulwama, JK UT

Subject:- Grant of Environment Clearance for Minor Mineral Block – 03, C- Lassipora SIDCO Bridge D/Stream Nallah Rambiar, Lassipora, Litter, Pulwama, 4.37ha. (ADS). under proposal No. SIA/JK/MIN/63796/2020 & SIA/JK/MIN/56774/2020.

Reference:- i) Minutes of the 73rd Meeting of JKEAC held on 20th November, 2021
ii) Minutes of the 68th Meeting of JKEIAA held on 27th November, 2021


Kindly refer your application received in this office on 11-11-2021 for Minor Mineral Block – 03, C- Lassipora SIDCO Bridge D/Stream Nallah Rambiar, Lassipora, Litter, Pulwama, 4.37 Ha (ADS). under proposal No. SIA/JK/MIN/63796/2020 & SIA/JK/MIN/56774/2020.

The JK Environment Impact Assessment Authority accorded approval to grant of Environment clearance in favour of Shri Khursheed Ahmad Mir, S/O Shri Gh. Mohammad Mir, R/O Pahoo Dahoogam, District - Pulwama, JK UT for Minor Mineral Block – 03, C- Lassipora SIDCO Bridge D/Stream Nallah Rambiar, Lassipora, Litter, Pulwama, 4.37ha. (ADS). under proposal No. SIA/JK/MIN/63796/2020 & SIA/JK/MIN/56774/2020 in pursuance to Environment Impact Assessment Notification, 2006 as amended from time to time.

The revised geographical co-ordinates as per Letter of Intent issued by the Geology & Mining Department are as under:-

Pillar	Latitude	Longitude
A	33°47'47.78"N	74°56'41.02"E
B	33°47'43.46"N	74°56'43.46"E
C	33°47'38.04"N	74°56'33.83"E
D	33°47'42.22"N	74°56'31.28"E

"The Environment clearance is subject to Revision of mining plan in terms of Section 4.3 (r) of Enforcement Monitoring Guidelines for Sand Mining – 2020, issued by Ministry of Environment, Forests and Climate Change where-under the area for removal of minerals shall not exceed 60% of the mine lease area and any deviation or relaxation in this regard shall be adequately supported by the scientific report. The Mining depth be restricted to max. 1m in aggregate and bulk density of 2.0 be adopted for calculating mineral production subject to maximum production of 35000 MT. This quantity corresponds to estimated quantity of RBM expected to be available in the mounds which alone ought to be excavated. Geology & Mining Department needs to exercise extra vigil to ensure that only mounds above the water line are mined and no mining/excavation is carried out in the ditches created earlier due to illegal mining in view non-availability of replenishment data in the DSRs. The revised Mining plan & PFR revised surface plan, and revised calculation of minor mineral production at maximum 1m depth in aggregate, mapping of haulage route, etc., in light of deliberations of the JKEAC etc., be submitted to the JKEIAA within a period of **three months** from the date of issuance of Environment clearance. Compliance to the specific ToR condition relating to photographs of display screen displaying the date of collection of data within **six months** of grant of formal Environment clearance. In case the consultant has used manual system to evacuate the PM10



level on replacing 8"x10" size filter paper after 8hr duration, the photographs of its timer display with reveals the actual operating time of the machine, be included in the EIA Report. Report of the MDLTF Cell headed by the concerned Dy. Commissioner to the effect that project proponent is not involved in the illegal mining activity needs to be submitted within a period of **six weeks** or before execution of lease of minor mineral block, whichever is earlier, failing which the Environment clearance is liable to be revoked.

Project proponent must ensure protection of Infrastructure in vicinity of mining block, minimum distance guidelines provided under standard environmental conditions as given in Sustainable Sand Mining Guidelines, 2016, at S.No. 49 - Protection of Infrastructure, shall be maintained.

No JCBs/Excavators/Bulldozers to be used in mining and no water course to be disturbed while transporting minor mineral.

The validity of Environment clearance will be only three years from the date of commencement of the mining operations duly certified by the District Mineral Officer concerned with intimation to the JKEIAA and JKPCB in view of non-availability of replenishment data & project proponent is advised to strictly adhere to the terms and conditions of the NOCs of the stakeholder departments to be monitored by the enforcement agencies and concerned departments.

The Environment clearance is also subject to the fulfillment/compliance of following standard & specific conditions:-

STANDARD CONDITIONS:-

Statutory compliance

- 1) This Environmental Clearance (EC) is subject to orders/ judgment of Hon'ble Supreme Court of India, Hon'ble High Court of J&K, Hon'ble NGT and any other Court of competent jurisdiction, as may be applicable.
- 2) The Project Proponent complies with all the statutory requirements and judgement of Hon'ble Supreme Court dated 2nd August, 2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Ors before commencing the mining operations.
- 3) The UT Government of J&K shall ensure that mining operation shall not be commenced till the entire compensation levied, if any, for illegal mining paid by the Project Proponent through their respective Department of Mining & Geology in strict compliance of Judgement of Hon'ble Supreme Court dated 2nd August, 2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Ors.
- 4) This Environmental Clearance shall become operational only after receiving formal NBWL Clearance from MoEF&CC subsequent to the recommendations of the Standing Committee of National Board for Wildlife, if applicable to the Project.
- 5) This Environmental Clearance shall become operational only after receiving formal Forest Clearance (FC) under the provision of Forest Conservation Act, 1980, if applicable to the Project.
- 6) Project Proponent (PP) shall obtain Consent to Operate after grant of EC and effectively implement all the conditions stipulated therein. The mining activity shall not commence prior to obtaining Consent to Establish / Consent to Operate from the concerned State Pollution Control Board/COMMITTEE.
- 7) The PP shall adhere to the provision of the Mines Act, 1952, Mines and Mineral (Development & Regulation), Act, 2015 and rules & regulations made there under. PP shall adhere to various circulars issued by Directorate General Mines Safety (DGMS) and Indian Bureau of Mines from time to time.
- 8) The Project Proponent shall obtain consents from all the concerned land owners, before start of mining operations, as per the provisions of MMDR Act, 1957 and rules made there under in respect of lands which are not owned by it.



- 9) The Project Proponent shall follow the mitigation measures provided in MoEFCC's Office Memorandum No. Z-11013/57/2014-IAJI (M), dated 29th October, 2014, titled "Impact of mining activities on Habitations-Issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
- 10) A copy of EC letter will be marked to concerned Panchayat / local NGO etc. if any, from whom suggestion / representation has been received while processing the proposal.
- 11) State Pollution Control Board/COMMITTEE shall be responsible for display of this EC letter at its Regional office, District Industries Centre and Collector's office/ Tehsildar's Office for 30 days.
- 12) The Project Authorities should widely advertise about the grant of this EC letter by printing the same in at least two local newspapers, one of which shall be in vernacular language of the concerned area.
- 13) The advertisement shall be done within 7 days of the issue of the clearance letter mentioning that the instant project has been accorded EC and copy of the EC letter is available with the State Pollution Control Board/COMMITTEE and web site of the Ministry of Environment, Forest and Climate Change (www.environmentclearance.nic.in). A copy of the advertisement may be forwarded to the concerned MoEFCC Regional Office for compliance and record.
- 14) The Project Proponent shall inform the MoEF&CC for any change in ownership of the mining lease. In case there is any change in ownership or mining lease is transferred than mining operation shall only be carried out after transfer of EC as per provisions of the para 11 of EIA Notification, 2006 as amended from time to time.

Air quality monitoring and preservation

- 15) The Project Proponent shall generate data on air quality parameters PM10, PM2.5, NO₂; CO and SO₂ etc. as covered in the EIA Report covering the aspects of transportation, extraction etc in the impact zone as per the site condition to ascertain the exposure characteristics at specific places and submit the same along with 6-monthly compliance report to concerned IRO. The data be also displayed prominently at the site.
- 16) Effective safeguard measures for prevention of dust generation and subsequent suppression by way of regular mechanical water sprinkling and other measures shall be carried out areas prone to dust pollution including haulage route.

Water quality monitoring and preservation

- 17) In case, immediate mining scheme envisages intersection of ground water table, then Environmental Clearance shall become operational only after receiving formal clearance from CGWA. In case, mining operation involves intersection of ground water table at a later stage, then PP shall ensure that prior approval from CGWA and MoEFCC is in place before such mining operations. The permission for intersection of ground water table shall essentially be based on detailed hydro-geological study of the area.
- 18) Regular monitoring of springs in and around the mine lease shall be carried out and recorded maintained. Natural water bodies and or streams which are flowing in and around the project area should not be disturbed. The PP in consultation with concerned department shall regularly monitor the groundwater table in open dug well located in the nearby villages to ascertain the impact of mining over ground water table. PP shall submit report on changes in ground water level and quality shall be submitted on six-monthly basis to Regional Office of the Ministry, MoEF&CC, CGWA and State Groundwater Department/ State Pollution Control Board.
- 19) The Project Proponent shall undertake regular monitoring of natural water course/ water resources/ springs and perennial nallahs existing/ flowing in and around the mine lease and maintain its records. The Project Proponent shall undertake regular monitoring of water quality upstream and downstream of water bodies passing within and nearby/ adjacent to the mine lease and maintain its records. Sufficient number of gullies shall be provided at appropriate places within the lease for management of water. PP shall carryout regular monitoring w.r.t. pH and included



the same in monitoring plan. The parameters to be monitored shall include their water quality vis-à-vis suitability for usage as per CPCB criteria and flow rate. It shall be ensured that no obstruction and/ or alteration be made to water bodies during mining operations without justification and prior approval of MoEFCC. The monitoring of water courses/ bodies existing in lease area shall be carried out four times in a year viz. pre- monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the record of monitored data may be sent regularly to Ministry of Environment, Forest and Climate Change and its Regional Office, Central Ground Water Authority and Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board. Clearly showing the trend analysis on six-monthly basis.

Noise and vibration monitoring and prevention

- 20) The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day /night hours.
- 21) The Project Proponent shall take measures for control of noise levels below 85 dBA in the work environment. The workers engaged in operations of HEMM, etc. should be provided with ear plugs /muffs. All personnel including laborers working in dusty areas shall be provided with protective respiratory devices along with adequate training, awareness and information on safety and health aspects. The PP shall be held responsible in case it has been found that workers/ personals/ laborers are working without personal protective equipment.

Mining plan

- 22) The Project Proponent shall adhere to the working parameters of mining plan which was submitted at the time of EC appraisal wherein year-wise plan was mentioned for total excavation subject to changes recommended in the specific conditions herein below. No change in basic mining proposal like mining technology, total excavation, mineral & waste production, lease area and scope of working (viz. method of mining, overburden & dump management, O.B & dump mining, mineral transportation mode, ultimate depth of mining etc.) shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change, which entail adverse environmental impacts, even if it is a part of approved mining plan modified after grant of EC or granted by State Govt. in the form of Short Term Permit (STP), Query license or any other name.
- 23) The Project Proponent shall get the Final Mine Closure Plan along with Financial Assurance approved from Indian Bureau of Mines/Department of Mining & Geology as required under the Provision of the MMDR Act, 1957 and Rules/ Guidelines made there under. A copy of approved final mine closure plan shall be submitted within 2 months of the approval of the same from the competent authority to the concerned Regional Office of the Ministry of Environment, Forest and Climate Change for record and verification.
- 24) The land-use of the mine lease area at various stages of mining scheme as well as at the end-of-life shall be governed as per the approved Mining Plan. The excavation vis-à-vis backfilling in the mine lease area and corresponding afforestation to be raised in the reclaimed area shall be governed as per approved mining plan. PP shall ensure the monitoring and management of rehabilitated areas until the vegetation becomes selfsustaining. The compliance status shall be submitted half-yearly to the MoEFCC and its concerned Regional Office.

Transportation

- 25) No Transportation of the minerals shall be allowed in case of roads passing through villages/ habitations. *(In such cases, PP shall construct a 'bypass' road for the purpose of transportation of the minerals leaving an adequate gap (say at least 200 meters) so that the*



adverse impact of sound and dust along with chances of accidents could be mitigated.) All costs resulting from widening and strengthening of existing public road network shall be borne by the PP in consultation with nodal State Govt. Department. Transportation of minerals through road movement in case of existing village/ rural roads shall be allowed in consultation with nodal State Govt. Department only after required strengthening such that the carrying capacity of roads is increased to handle the traffic load. The pollution due to transportation load on the environment will be effectively controlled and water sprinkling will also be done regularly. Vehicular emissions shall be kept under control and regularly monitored. Project should obtain Pollution Under Control (PUC) certificate for all the vehicles from authorized pollution testing centers.

- 26) The Main haulage road within the mine lease should be provided with a permanent water sprinkling arrangement for dust suppression. Other roads within the mine lease should be wetted regularly with tanker-mounted water sprinkling system. The other areas of dust generation like crushing zone, material transfer points, material yards etc. should invariably be provided with dust suppression arrangements. The air pollution control equipment's like bag filters, vacuum suction hoods, dry fogging system etc. shall be installed at Crushers, belt-conveyors and other areas prone to air pollution. The belt conveyor should be fully covered to avoid generation of dust while transportation. PP shall take necessary measures to avoid generation of fugitive dust emissions.

Green Belt


- 27) The river bed mining projects involve extraction of sand, gravel and Bajri from dry river/Nallah bed and plantation in the 7.5m buffer of the mining lease will mean plantation in between the river/nallah bed which will obstruct the natural flow of the river/nallah and might also lead to change in natural habitat of aquatic fauna. In lieu of the plantation of river bed the proponents will carry out plantation in the adjacent villages after due consultations with the PR/locals and the concerned DFO. Besides the PP shall adhere to the conditions for green belt development as per CSR/CER/EMP strictly. The whole Green belt shall be developed within first 5 years starting from windward side of the active mining area. The development of greenbelt shall be governed as per the EC granted by the Ministry irrespective of the stipulation made in approved mine plan.
- 27) The Project Proponent shall carryout plantation/ afforestation in backfilled and reclaimed area of mining lease, around water body, along the roadsides, in community areas etc. by planting the native species in consultation with the State Forest Department/ Agriculture Department/ Rural development department/ Tribal Welfare Department/ Gram Panchayat such that only those species be selected which are of use to the local people. The CPCB guidelines in this respect shall also be adhered. The density of the trees should be around 2500 saplings per Hectare. Adequate budgetary provision shall be made for protection and care of trees.
- 28) The Project Proponent shall make necessary alternative arrangements for livestock feed by developing grazing land with a view to compensate those areas which are coming within the mine lease. The development of such grazing land shall be done in consultation with the State Government. In this regard, Project Proponent should essentially implement the directions of the Hon'ble Supreme Court with regard to acquisition of grazing land. The sparse trees on such grazing ground, which provide mid-day shelter from the scorching sun, should be scrupulously guarded/ protected against felling and plantation of such trees should be promoted.
- 29) The Project Proponent shall undertake all precautionary measures for conservation and protection of endangered flora and fauna and Schedule-I species during mining operation. A Wildlife Conservation Plan shall be prepared for the same clearly delineating action to be taken for conservation of flora and fauna. The Plan shall be approved by Chief Wild Life Warden of the State Govt.



- 30) And implemented in consultation with the State Forest and Wildlife Department. A copy of Wildlife Conservation Plan and its implementation status (annual) shall be submitted to the Regional Office of the Ministry.

Public hearing and human health issues

- 31) The Project Proponent shall appoint an Occupational Health Specialist for Regular as well as Periodical medical examination of the workers engaged in the mining activities, as per the DGMS guidelines. The records shall be maintained properly. PP shall also carry out Occupational health check-ups in respect of workers which are having ailments like BP, diabetes, habitual smoking, etc. The check-ups shall be undertaken once in six months and necessary remedial/ preventive measures be taken. A status report on the same may be sent to MoEFCC Regional Office and DGMS on half-yearly basis.
- 32) The Project Proponent must demonstrate commitment to work towards 'Zero Harm' from their mining activities and carry out Health Risk Assessment (HRA) for identification workplace hazards and assess their potential risks to health and determine appropriate control measures to protect the health and wellbeing of workers and nearby community. The proponent shall maintain accurate and systematic records of the HRA. The HRA for neighbourhood has to focus on Public Health Problems like Malaria, Tuberculosis, HIV, Anaemia, Diarrhoea in children under five, respiratory infections due to bio mass cooking. The proponent shall also create awareness and educate the nearby community and workers for Sanitation, Personal Hygiene, Hand washing, not to defecate in open, Women Health and Hygiene (Providing Sanitary Napkins), hazard of tobacco and alcohol use. The Proponent shall carry out base line HRA for all the category of workers and thereafter every five years.
- 33) The RBM mining does not include extraction of any heavy minerals nor welding is involved. Hence such blood test or other medical biological monitoring of heavy metals presence is not required. However PP shall periodically monitor health of all the workers involved at mining site as per the regulations of Mines act.
- 34) The Proponent shall maintain a record of performance indicators for workers which includes
- a. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For this purpose, schedule of health examination of workers should be drawn and followed accordingly as per the regulations of Mines act.
 - b. A First Aid Room shall be provided in the project both during construction and operations of the project.
 - c. They should not have suffered loss of any body part. The record of the same should be submitted to the Regional Office, MoEFCC annually along with details of the relief and compensation paid to workers having above indications.
- 35) The Project Proponent shall ensure that Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
- 36) Project Proponent shall make provision for the housing for workers/labors or shall construct labour camps within/outside (company owned land) with necessary basic infrastructure/ facilities like fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche for kids etc. The housing may be provided in the form of temporary structures which can be removed after the completion of the project related infrastructure. The domestic waste water should be treated with STP in order to avoid contamination of underground water.
- 37) The activities proposed in Action plan prepared for addressing the issues raised during the Public Hearing, if applicable, shall be completed as per the budgetary provisions mentioned in the Action Plan and within the stipulated time frame. The Status Report on implementation of Action Plan shall be submitted to the concerned Regional Office of the Ministry along with District Administration.



Corporate Environment Responsibility (CER)

- 38) The activities and budget earmarked for Corporate Environmental Responsibility (CER) as per Ministry's O.M No 22-65/2017-IA. III dated 30/09/2020 or as proposed by EAC should be kept in a separate bank account. The activities proposed for CER shall be implemented in a time bound manner and annual report of implementation of the same along with documentary proof viz. photographs, purchase documents, latitude & longitude of infrastructure developed & road constructed needs to be submitted to Regional Office MoEF&CC annually along with audited statement.
- 39) Project Proponent shall keep the funds earmarked for environmental protection measures in a separate account and refrain from diverting the same for other purposes. The Year wise expenditure of such funds should be reported to the MoEFCC and its concerned Regional Office.

Miscellaneous

- 40) The Project Proponent shall prepare digital map (land use & land cover) of the entire lease area and KML file for recording the base line data and closure time data (after three years) and submit a report to concerned Regional Office of the MoEFCC.
- 41) The Project Authorities should inform to the Regional Office regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- 42) The Project Proponent shall submit six monthly compliance reports on the status of the implementation of the stipulated environmental safeguards to the MOEFCC & its concerned Regional Office, Central Pollution Control Board and State Pollution Control Board.
- 43) A separate 'Environmental Management Cell' with suitable qualified manpower should be set-up under the control of a Senior Executive. The Senior Executive shall directly report to Head of the Organization. Adequate number of qualified Environmental Scientists and Mining Engineers shall be appointed and submit a report to RO, MoEFCC.
- 44) The concerned Regional Office of the MoEFCC shall randomly monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the MoEFCC officer(s) by furnishing the requisite data / information / monitoring reports.

SPECIFIC CONDITIONS: -

1	The Project Proponent must obtain NOCs from competent authority of all the concerned stake holder departments /Joint Inspection Report prior to grant of formal Environmental Clearance (EC). The EC shall be subject to strict compliance of conditions of the NOCs issued by the stake holder departments.
2	The cremation ground if any in the vicinity be properly demarcated and left undisturbed and its map showing geographical coordinates be submitted to JKEIAA before issuance of formal EC. Besides, map showing extraction route bypassing village settlements and agricultural/horticultural land as far as possible be submitted to the JKEIAA before formal grant of EC.
3	The Environment clearance is subject to Revision of mining plan in terms of Section 4.3 (r) of Enforcement Monitoring Guidelines for Sand Mining – 2020, issued by Ministry of Environment, Forests and Climate Change where-under the area for removal of minerals shall not exceed 60% of the mine lease area and any deviation or relaxation in this regard shall be adequately supported by the scientific report. <u>The Mining depth be restricted to max. 1m in aggregate and bulk density of 2.0 be adopted for calculating mineral production subject to maximum production of 35000 MT.</u> Mining depth mentioned above the recommended depth by JKEAC, if mentioned anywhere in any of the submitted documents whether by mistake or otherwise, shall be treated as omitted.
4	A green belt shall be developed under close supervision of the local panchayat.



5	The river bed material shall be sold to the local population within radial distance of 2 kms from the mine site for residential construction purpose at 50% concessional rates.
6	The formal lease shall be granted only after the Project Proponent deposits the funds earmarked under EMP / CER in a separate account to be opened for the purpose and funds be utilized in coordination with DFO, Social Forestry Dept. and concerned Chief Medical Officer (CMO) under supervision of local Panchayat Head. The funds earmarked for CSR shall also be utilized in accordance with CSR Policy Rules.
7	All the provisions of Minor Mineral Rules sanctioned under SRO105 with all amendments with respect to pertinent provisions of the legal framework relating to progressive mine closure shall be complied by the Project Proponent.
8	This Environmental Clearance is subject to final outcome of any litigation pending before Hon'ble Supreme Court of India, Hon'ble High Court of Jammu & Kashmir, Hon'ble NGT, or any other Court of Law, if any, as may be applicable to this project.
9	This Environmental Clearance is without prejudice to the standing instructions /orders from the competent authorities in the MoEF&CC, GoI and the UT of J&K w.r.t river bed mining activity.
10	An inspection Committee comprising of Additional Dy. Commissioner, District Mineral Officer, representative of Pollution Control Board, Executive Engineer Irrigation & Flood Control Dept., Executive Engineer, PHE(Jalshakti) Dept. and District Fisheries Officer shall monitor the implementation of the EMP and also certify at the end of each monsoon, that sufficient replenishment of the minor mineral has taken place during monsoon and further mining in the mining block shall not adversely affect the hydrological and ecological settings in the area.
11	The Project Proponent shall take all precautionary measures during mining operations for conservation and protection of endangered fauna and flora in the area.
12	Masks and PPE shall be provided to the workers in view of COVID-19.
13	Social distancing norms and other standard operating procedures relating to COVID- 19 shall be followed during mining activity.
14	The plan worked out and expenditure made under Occupational Health should be undertaken in consultation with the Local Health Institution/PHC/Sub-Centre for utilization for the health and welfare of the local workers involved in mining activity and villagers living in the close vicinity. Regular Medical checkups and free medicines shall be provided under the fund.
15	The Project Proponent must ensure that the biological clock of the villagers in the vicinity of the project is not disturbed by any unauthorized night operations and all measures must be taken for keeping the noise levels within prescribed levels.
16	Provision shall be kept for housing of the labour force, toilets, facilities for cooking, safe water, health care, crèche etc. for the labour force.
17	A final Mine closure Plan along with details of Corpus fund shall be communicated to the MoEF&CC in advance for approval.
18	The top soil in case of surface land mining shall be temporarily stored at the designated / appropriate site and concurrently used for land reclamation.
19	The mining operations shall be undertaken in a systematic manner so that it does not damage the aesthetic view of the area.
20	Adequate steps should be taken to check soil erosion and engineering structures shall be raised wherever required. The mining shall be restricted to 3/4 th of the width of the river/riverlet or 7.5 m(inward) from river bank but upto 10% of the width of the river. While calculating targeted mineral production and while formulating the mining plan, the project proponent shall ensure that the area for removal of minerals shall not exceed 60% of the mine lease area, and any deviation or relaxation in this regard shall be adequately supported by the scientific report in accordance with Sand Mining Monitoring & Enforcement Guidelines of 2020.




21	The compliance report shall be submitted to the Regional Office of the MoEF&CC at Chandigarh with a copy to the Regulatory Authority.
22	The mining activity should in no case go beyond the area as mentioned in the Letter of Intent or Environmental clearance letter, whichever is less and a buffer area is maintained such that the slopes of adjoining area does not get disturbed.
23	All the provisions made and restrictions imposed as covered in the Minor Mineral Rules, shall be complied with, particularly regarding Environment Management Practices and its fund management.
24	The recommendations made in the District Survey Report on sustainable mining practices if any shall be complied.
25	The mining shall be done in bench form with maximum bench height within the mining depth as prescribed by the Expert Appraisal Committee
26	Mining should be initiated only after installation of signboards with demarcation pillars indicating the geo-coordinates of the plot as mentioned in the letter of intent, measurements (length /breadth) and should be laid in presence of the authorized official of the Geology & Mining Department. All vertices /corners of the mining block must be marked with concrete pillars of size 0.5mtx0.5mt x2.5mts (2.5 mts. is the depth below the NSL).The demarcation pillars site should mention the specific EC conditions and contact details of concerned authorities responsible for monitoring of compliance of EC conditions/district administration/Police at four corners of the mining block prominently on a large size durable display board for enabling the public to inform the authorities in case of violation of the EC conditions. The display board with details shall be maintained in perfect order throughout the period of lease/mining.
27	There should be no change in the method of excavation and quantity of minerals to be extracted.
28	The EC holder shall keep a correct account of quantity of mineral mined out, dispatched from the mine, mode of transport, registration number of vehicle, person in-charge of vehicle and mine plan. This should be produced before officers concerned for inspection.
29	The access to mining site should be controlled in a way that vehicles carrying mineral from that area are tracked and accounted for in accordance with standing guidelines issued by the Govt.
30	The Geology & Mining Department should use technology like Bar Coding, Information and Communications Technology (ICT), Web based and ICT enabled services, mobile SMS App etc. to account for weight of mineral being taken out of the plot and the number of trucks moving out with the mineral.
31	The PP should ensure no agriculture land in the area is used for any storage of sand or gets damaged due to any other transportation activity. Where ever, damages to agricultural land, assets or human or bovine life by way of plying of trollies and tippers etc. involved in transportation of minor mineral is reported, the Project Proponent shall pay adequate compensation with penalty to the effected persons as to be fixed up by the competent authority.
32	Waste generated will be collected on regular basis and will be disposed as per the Municipal Solid Waste Management (Management & Handling) Rule 2000 and its subsequent amendments.
33	Spring sources should not be affected due to mining activities. Necessary Protection measures are to be incorporated.
34	The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded.
35	Overloading of trucks and trolleys will be avoided.
36	All the instructions from authorities representing various government departments having stakes shall be complied with during the mining operations.



37	Haul road will be kept wide, compact and water spraying will be done. It shall be properly maintain by the PP and restored to original position after mining. Axel load on the roads should not exceed the prescribed load as per IRC
38	Restricted working hours. Mining operation has to be carried out between 6 am to 7 pm. During day light. Mining operations shall not be allowed at night.
39	No overhangs shall be allowed to be formed due to mining and mining shall not be allowed in area where subsidence of rocks is likely to occur due to steep angle of slope. Mining activity shall not be avoided in rainy season
40	Vehicles used for transportation of material are to be permitted only with fitness and PUC Certificates.
41	There shall be no extraction of stone / boulder in landslide prone areas.
42	Adequate facility for drinking water and toilets should be provided for the workers.
43	There should be controlled clearance of overground vegetation to be undertaken.
44	Transport of mineral will not be done through villages / habitations and any private productive or waste land.
45	Deep drilled handpump with sufficient funding provision should be earmarked for providing drinking facility to the labour force.
46	Recommendations of National Institute for Labour for ensuring good occupational environment for mine workers would also be adopted.
47	The PP shall be responsible for enforcement of COVID-19 standard operating procedures and guidelines with respect to safety of workers involved in the mining activity.
48	Project Proponent shall ensure that the road may not be damaged due to transportation of the mineral and transport of minerals will be as per IRC relevant guidelines if any in this regard.
49	Health and safety of workers should be taken care of. They should also be provided training in safety and health care aspects.
50	Junction at takeoff point of approach road with main road be properly developed with proper width and geometry required for safe movement of traffic by concession holder at his own cost.
51	No stacking shall be allowed on road side along National Highway or any public road.
52	Concealing of any information/data of submission of wrong/fabricated information by the Project Proponent and failure to comply with any of the above conditions may lead to withdrawal of the EC and attract action under the provisions of EP Act, 1986.
53	Mining shall be done manually minimally supported by semi-mechanized methods. Heavy machinery like JCBs, Excavators/L&T hydraulic excavators etc. should not be allowed. Emphasis should be given to employment of locally available labour force to address the socio-economic concerns of the locals.
54	The progressive mine closure shall be as per Rules in vogue. All actions relating to progressive mine closure shall be taken well in advance during the final year of mining so that the site is rehabilitated ecologically.
55	The reasonable concerns expressed by the local population during public hearing or otherwise shall be addressed by the Project Proponent. No blasting operations shall be allowed.
56	No mining activity shall be carried out in flowing water channel area within the mining block and adequate measures shall be taken to safeguard water quality and aquatic life including fisheries if available in the same.
57	The PP shall earmark funds strictly as per the agreed Environmental Management Plan to be spent on environmental monitoring, dust sprinkling, green belt development, rehabilitation of mined out area and landscaping/regressing and haulage route maintenance. The detailed updated plan shall be submitted to JKEIAA as per above deliberations before grant of formal EC, if desired by the JKEAC. Further, the CSR funds shall be earmarked and utilized as per CSR Rules.



58	The hydraulic structures/embankments /protection bunds shall not be disturbed /damaged during mining operations.
59	The alignment of the bank of the river and water shall not be changed in any case.
60	The water way of the Nalla shall not be restricted.
61	The applicant is bound to abide by the J&K Water Resources (Regulation and Management) Act and Rules of 2011 and J&K Fisheries Act, 2016 and all other relevant Acts and Rules thereof.
62	The EC is subject to condition that the mining block is located on state land exclusively in river bed without any encumbrances of any sort.
63	Under CSR, within 2 km radial distance, activities like regular health check-up of local villagers once a week shall be undertaken with free medicines. Safe drinking water facility by way of renovation of existing tanks/wells, digging of new tube wells and installation of water filters shall be undertaken. Skill development trainings shall be organized for unemployed local youth. Further, construction of toilets in schools, solar street lighting, free distribution of books, note books, N95 masks, hand sanitizers and school bags among students within 2 km radius from the mine area shall be undertaken. Under EMP, with 2 kms radial distance from mine area; air, water, soil, noise pollution monitoring on half yearly basis, black topping of roads passing through villages and maintenance of haulage /extraction routes, water sprinkling, PPE to mine workers, bearing of school/college fee and allied costs on education of children of mine workers, bearing of all costs on ailments/healthcare of mine workers, creation of green belt by way of raising and maintenance of 2500 trees per hectare on land identified by DFO Social Forestry concerned in consultation with village panchayat during the period of mining, shall be undertaken.
64	The JKEIAA reserves the right to impose any other condition in the EC at any time during the period of mining lease. The JKEIAA reserves the right to revoke the EC in case any of the environmental clearance conditions are violated during the mining activity. Mere grant of Environmental Clearance does not entitle the Project Proponent for grant of mining lease unless he obtains all other clearances as required under other provisions of law.
65	The EC is subject to condition that the Project proponent shall not change the water course of the river and no mining activity shall be carried out in active channel area, if any in the mining block.
66	Wherever the PP has to transport the mined out material across shallow water creeks found inside the mining block, he shall lay Hume pipes of appropriate sizes for the purpose so as not to disturb the natural flow of water.
67	On the request of project proponent, the competent authority shall issue necessary corrigendum to the approved mining plan w.r.t mining depth and area excluding the active water channel /green patch/ flood control structures/maintenance of safe distance to bridges/hydraulic structures and quantification of the targeted mineral, if and wherever, recommended by the Expert Appraisal Committee.
68	The project proponent shall undertake an environmental audit at least once a year by a reputed third-party entity and report of such audit shall be placed in public domain.
69	To ensure that irrigation inlets are not left high and dry due to mining and resultant degradation of bed, the Project Proponent also must construct well-designed cut-off walls, stretching bank to bank, having depth 1.5 times the maximum scour depth below the bed level, both upstream and downstream, maintaining prescribed distance from irrigation inlet/s as per guidelines.
70	The District Mineral Officer shall monitor the replenishment of the mined-out areas, traffic management, levels of production, river bank erosion, exit point of the site and instruct the Project proponent for initiating measures for mitigating environmental concerns.
71	The PP shall not sub-let the mining block to any third party without written approval from the JKEIAA



72	After ceasing the mining operations, the project proponent shall undertake re-grassing of the mining lease area and any other area which may have been disturbed due to mining activities and restore the area to a condition fit for growth of flora, fauna and fodder as per rules in vogue.
73	The Project Proponent shall strictly adhere to the Sand Mining Guidelines of 2016 and Enforcement and Monitoring Guidelines of 2020 issued by the Ministry of Environment, Forest & Climate Change, GoI
74	An appeal against the EC shall lie with the Hon'ble NGT, if preferred within 30 days as prescribed under Section 16 of the NGT Act, 2010.
75	In the event any conflict in interpretation of Standard /General Conditions vis-a vis Specific Conditions, the Specific Conditions shall prevail.

Sd/-
(Lal Chand), IFS,
Chairman, JKEIAA

No. JKEIAA/2020/325/5062-75

Dated 30 - 12 - 2021

Copy to the:-

1. Commissioner /Secretary to Government, Mining Department, J&K Government for favour of information.
2. Commissioner/Secretary to Government, Forest, Ecology & Environment Department, J&K Government, Civil Secretariat, Jammu for favour of kind information.
3. Commissioner/Secretary to Government, Jal Shakti Department, J&K Government, Civil Secretariat, Jammu for favour of kind information.
4. Chairman, J&K Pollution Control Board for favour of kind information. He is requested to properly monitor the Environment clearance conditions and monitoring report thereof may be submitted to this office quarterly failing which EC so issued will be treated as null and void.
5. Regional Officer, Integrated Regional Office, Jammu, Ministry of Environment, Forest & Climate Change, J&K and Ladakh UT for favour information. env.irojk-mefcc@gov.in
6. Director, Geology & Mining Department, J&K Government, Jammu for information and necessary action. It may be ensured that all conditions of E.C. are fulfilled.
7. Director, Fisheries Department, J&K Government for information.
8. Deputy Commissioner Pulwama, for information.
9. Chief Engineer, Irrigation & Flood Control Department, Srinagar for information.
10. Secretary, JK Expert Appraisal Committee for information.
11. Divisional Forest Officer (T), Pulwama for information.
12. Divisional Forest Officer, Social Forestry, Pulwama for information.
13. Hs://parivesh.nic.in/

Neelu Gera
30/12/2021
(Dr. Neelu Gera)-IFS
Pr.CCF/Director,
Ecology, Env. & Remote
Sensing Department,
Member, Secretary, JKEIAA

